Department of Computer Science National Tsing Hua University

CS 5263: Wireless Multimedia Networking Technologies and Applications

Color Models

Instructor: Cheng-Hsin Hsu

Acknowledgement: The instructor thanks Prof. Mohamed Hefeeda at Simon Fraser University for sharing his course materials

Colors & Color Models

- Color is composed of electromagnetic waves
- Humans: visible colors: 370 – 780 nm





Colors

- Pure color has a single wavelength
 - Could be generated for example by laser
- Typically, we see a combination of wavelengths
 - Spectral analysis shows contribution of each wavelength
- A color could be represented by
 - Hue: dominant wavelength
 - Wavelength at the spike
 - Saturation: color purity
 - Area under spike over total area
 - Luminance: ~brightness
 - Area under curve (power)



Color Models

- The hue, saturation, luminance representation is not well suited for computer monitors
 - CRT monitors use three phosphors beams Red, Blue, Green (RGB) of varying intensities
 - LCD: use Red, Blue, Green pixels
- Common method to create wide range of colors is to combine three primary colors
 - **Primary = cannot be generated from each other**
- RGB are good choices because the color receptors in the eyes are specially sensitive to them

RGB Color Model

- Increasing each component with same ratio → increases brightness
 - (0.64, 0.96, 0.78) is brighter shade of green than (0.32, 0.48, 0.39)
- Grayscale values on the cube's diagonal from (0,0,0) to (1,1,1)
 - Same value for R,G,B
- RGB to grayscale conversion: (R, G, B) → (L, L, L)
 - L = 0.30 R + 0.59 G + 0.11 B
- Eyes are most sensitive to green, and least sensitive to blue





CMY Color Model

- RGB is called additive model
- CMY (Cyan, Magenta, Yellow) are complements of R,G,B
 - C = 1 R; M = 1 G; Y = 1 B



- CMY is a subtractive model, i.e.,
 - The origin of the cube is White (not Black), and
 - (C, M, Y) means how much Red, Green, Blue are subtracted out
- CMY is used in color printer
 - Typically with a fourth color: Black (K) → CMYK
 - To give better clarity and save ink, because
 - (1,1,1) results in muddy brown not true black

HSV and HLS Color Models

- We mentioned before that a color can be represented by its
 - Hue (essential color)
 - Saturation (purity of color)
 - Luminance (or value or lightness or brightness)
- HSV (also called HSB) color model
- Usually used in computer graphics applications
- HLS is similar to HSV
- Non linear transformations from RGB to HSV (or HLS) and vice versa



Luminance & Chrominance Color Models

- Yet another method to represent color
 - Put all luminance information in one value (Y)
 - All color (chrominance) information in other two (IQ)
- Why?
 - More convenient for television broadcast (in early days)
 - All black & white info in one value (luminance) →
 - same transmission for black & white and color TVs
 - Allows us to treat components differently
 - Humans more sensitive to Y than IQ
- YIQ used for TV in North America (NTSC)
- YUV for TV in Europe (PAL)
- YCbCr (similar to YUV): Used in JPEG and MPEG

YIQ Model

Original image

Y Component

I Component

Q Component

- Y: weighted sum of R,G,B
 - Brightness in the image
 - Black & white image
- I & Q add the color aspects

Luminance & Chrominance Color Models

■ YIQ ← → RGB using linear transformation

$$\begin{bmatrix} Y \\ I \\ Q \end{bmatrix} = \begin{bmatrix} 0.299 & 0.587 & 0.114 \\ 0.596 & -0.275 & -0.321 \\ 0.212 & -0.523 & 0.311 \end{bmatrix} \begin{bmatrix} R \\ G \\ B \end{bmatrix}$$

 Note: Values in matrix depend on the choice of the primaries for RGB

CIE XYZ Model and Color Gamut

- RGB does not capture all visible colors
 - Some visible colors cannot be produced by adding RGB components 3.0

 $C(\lambda) = r(\lambda)R + g(\lambda)G + b(\lambda)B$

- Color matching experiment
 - Produce pure colors
 - Ask observers to vary r, g, b mix till match
 - Some visible (pure) colors 300 400 500 600 λ in nanometers
 could not be matched unless
 we added R to them, i.e., subtract R from the mix



CIE XYZ Model and Color Gamut

- This means systems that use RGB model (e.g., monitors) may not able to produce all visible colors
- Similarly for systems that use CMYK model (e.g., color printers)
- Some colors can be produced on monitors but not on printers and vice versa
- Color Gamut (or scope): is the range of colors that can be produced (displayed or printed)
- CIE: Commission Internationale de l'Eclairage (illumination in French)
 - Goal: define a model to represent <u>ALL</u> colors
 - Used to compare color gamut of different color models

CIE XYZ Color Model

- CIE defines three virtual primaries (X, Y, Z) from which all colors can be composed by positive amounts
- Color given by

$$C(\lambda) = x(\lambda)X + y(\lambda)Y + z(\lambda)Z$$



- X, Y, Z are constants defined by CIE
- For simplicity, we normalize:

$$x'(\lambda) = \frac{x(\lambda)}{x(\lambda) + y(\lambda) + z(\lambda)}; \ y'(\lambda) = \frac{y(\lambda)}{x(\lambda) + y(\lambda) + z(\lambda)}; \ z'(\lambda) = \frac{z(\lambda)}{x(\lambda) + y(\lambda) + z(\lambda)}$$

CIE XYZ Color Model

• Thus, we have: $x'(\lambda) + y'(\lambda) + z'(\lambda) = 1$



CIE Chromaticity Diagram

- Projection on X,Y →
 CIE Chromaticity Diagram
 - Represents all visible colors at unit energy
- On the curved edge, fully saturated (pure, spectral) colors
- On straight line base, colors that cannot be produced by a _____ single wavelength (nonspectral)
- A line joining any two colors represents colors that can be created by combining these two colors



RGB vs. CMYK on Chromaticity Diagram

- RGB range is larger, but it does not fully contain CMYK
- Note: exact gamut depends on the specific constants used for Y RGB & CMYK



16

19. Green Yellow

RGB ←→ CIE XYZ

$$\begin{bmatrix} R \\ G \\ B \end{bmatrix} = \begin{bmatrix} 3.24 & -1.54 & -0.50 \\ -0.97 & 1.88 & 0.04 \\ 0.06 & -0.20 & 1.06 \end{bmatrix} \begin{bmatrix} X \\ Y \\ Z \end{bmatrix}$$

Again depends on the specific constants for RGB

Color Models: Summary

- Different methods for representing colors
 - Additive (three <u>primary</u> colors: R, G, B)
 - Used in digital cameras, monitors, TVs
 - **Subtractive** (three <u>primary</u> colors: C, M, Y Plus K)
 - Good for printers
 - Luminance & Chrominance: YIQ, YUV, YCbCr
 - Luminance component (Y) and two chrominance components
 - YIQ & YUV used in B&W and color TV (same signal)
 - YCbCr used in JPEG and MPEG compressions
 - HSV & HSL: Hue, Saturation, Value (or Lightness)
 - Usually used in computer graphics applications
 - CIE XYZ:
 - Theoretical, comprehensive, used for comparing gamut